Managing Water in the West


# Snowpack, River, and Reservoir Status Briefing


**RESERVOIR AND RIVER OPERATIONS** 

Montana Area Office Billings April 16, 2015





U.S. Department of the Interior Bureau of Reclamation







#### **Lima Reservoir Operations**










#### **Clark Canyon Reservoir Operations**










#### **Hebgen Reservoir Operations**










#### **Canyon Ferry Reservoir Operations**










#### **Gibson Reservoir Operations**











#### **Lake Elwell (Tiber Dam) Operations**























2015 — 2014 — Average



#### **Bighorn Lake (Yellowtail Dam) Operations**





## **Summary of Conditions**

 Releases at most reservoirs have been decreased to conserve storage to ensure of filling.

Recent rain and snow storms have sustained snowpack.

 Reservoirs not anticipated to fill – Clark Canyon, Yellowtail Dam, Canyon Ferry

Reduced Irrigation Allotments – EBJB & GID

#### Reclamation's Internet Website

## http://www.usbr.gov/gp/hydromet/

- near real-time data available through the HYDROMET data system
- summaries and plots of historical data
- annual reservoir operating plan publication
- monthly water supply reports
- project data
- snow plots
- links to related internet sites

## Reservoir Storage Outlook

April 16, 2015



DNRC Water Resources Division
State Water Projects Bureau


## Montana DNRC State Water Projects Bureau Reservoirs



#### Reservoir Contents Report October 16, 2014



#### Reservoir Contents Report April 16, 2015



#### MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

WATER RESOURCES DIVISION - STATE WATER PROJECTS BUREAU March 31, 2015

All Contents in Acre-Feet

| RESERVOIR         | TOTAL CAPACITY<br>(includes dead storage)* |             | cc        | ONTENTS    |           |            |           |           |                          |
|-------------------|--|-------------|-----------|------------|-----------|------------|-----------|-----------|--------------------------|
|                   | Full Pool                                  | AVERAGE     | Last Year | Last Month | PRESENT   | % CAPACITY | %AVERAGE  | READING   | COMMENTS                 |
|                   | Contents                                   | 1960 - 2014 | 3/31/2014 | 2/28/2015  | 3/31/2015 | 3/31/2015  | 3/31/2015 | DATE      |                          |
| ACKLEY            | 6,722                                      | 3,231       | 4,153     | 3,851      | 3,997     | 59         | 124       | 3/31/2015 | elev.= 4306.25           |
| BAIR              | 7,300                                      | 4,373       | 3,773     | 5,200      | 5,609     | 77         | 128       | 3/31/2015 | elev.=5318.28            |
| COONEY            | 28,230                                     | 20,912      | 21,461    | 20,311     | 22,280    | 79         | 107       | 4/3/2015  | elev.=4243.8 (22,190 AF) |
| COTTONWOOD        | 1,900                                      | 1,014       | 1,596     | 1,284      | 1,940     | 102        | 191       | 3/16/2015 | elev.= 5102.64           |
| DEADMAN'S BASIN   | 75,968                                     | 49,256      | 56,444    | 65,930     | 70,577    | 93         | 143       | 3/30/2015 | elev.=3918.3 (66,827 AF) |
| E.F. ROCK CREEK   | 16,040                                     | 9,591       | 9,720     | 10,589     | 11,045    | 69         | 115       | 3/30/2015 | elev.=6041.7             |
| FRENCHMAN         | 2,777                                      | 2,156       | 2,777     | 2,777      | 2,777     | 100        | 129       | 3/31/2015 | spilling                 |
| MARTINSDALE       | 23,348                                     | 9,135       | 7,344     | 17,937     | 19,337    | 83         | 212       | 3/30/2015 | elev.=4775.0             |
| MIDDLE CREEK      | 10,184                                     | 6,163       | 4,499     | 5,418      | 5,818     | 57         | 94        | 3/30/2015 | elev.=6699.3             |
| NEVADA CREEK      | 11,207                                     | 7,819       | 6,521     | 9,574      | 10,861    | 97         | 139       | 3/29/2015 | elev.=4615.05            |
| NILAN             | 10,992                                     | 6,707       | 6,391     | 8,532      | 10,020    | 91         | 149       | 3/31/2015 | elev.=4440.67            |
| N.FK. SMITH RIVER | 11,406                                     | 7,082       | 8,148     | 9,000      | 10,330    | 91         | 146       | 3/31/2015 | elev.= 5484.8            |
| RUBY RIVER        | 37,612                                     | 31,222      | 34,501    | 34,212     | 37,137    | 99         | 119       | 3/30/2015 | elev.=5392.5             |
| TONGUE RIVER      | 79,071                                     | 50,139      | 60,558    | 52,106     | 56,093    | 71         | 112       | 3/30/2015 | elev.=3421.5             |
| W.F. BITTERROOT   | 32,362                                     | 9,221       | 14,125    | 13,528     | 20,019    | 62         | 217       | 3/27/2015 | elev.=4703.71            |
| WILLOW CREEK      | 18,000                                     | 16,386      | 16,183    | 14,300     | 16,127    | 90         | 98        | 3/25/2015 | elev.= 4733.6            |
| YELLOWATER        | 3,842                                      | 1,250       | 3,496     | 3,106      | 3,236     | 84         | 259       | 3/31/2015 | elev.=3116.9             |

<sup>\*</sup> Note: Reservoir contents include dead storage at the following:

Ackley 1001 AF \*\* O&M slope storage table does not include dead storage (so dead storage has to be added into the storage from the table)

Cooney 90 AF \*\* Tongue River 711 AF (O&M storage table includes dead storage)
Deadman's 3750 AF \*\* W. F. Bitterroot 656 AF (O&M storage table includes dead storage)
Nilan 900 AF \*\* Willow Creek 269 AF (O&M storage table includes dead storage)

<sup>\*</sup> Note: Cooney capacity reflects capacity after 1982 dam rehabilitation; prior capacity was 24,195 A.F.. Average storage shown is for post rehabilitation data.

<sup>\*</sup> Note: Middle Creek capacity reflects capacity after 1993 dam rehabilitation; prior capacity was 8,027 A.F.. Average storage shown is for post rehabilitation data.

<sup>\*</sup> Note: Nevada Creek Reservoir Capacity reflects live storage capacity survey conducted in year 2000. Prior live storage capacity documented as 12,723 AF.

<sup>\*</sup> Note: Tongue River capacity reflects capacity after 1999 dam rehabilitation; prior capacity was 68,040 A.F.. Average storage is post rehabilitation data.

<sup>\*</sup> Note: Frenchman Reservoir capacity tables updated based on aerial survey; prior capacity was 3752 A.F. Average shown is pre aerial survey




NWCC Home About Us Products Publications News Partnerships Contact Us


#### **MONTANA SNOTEL Snow Water Equivalent Update Graph**

As of TUESDAY: APRIL 14, 2015

| Basin                                     | Snow Water Equivalent Percent of Media |  |  |  |
|---|--|--|--|--|
| KOOTENAI RIVER BASIN                      | 56%                                    |  |  |  |
| FLATHEAD RIVER BASIN                      | 82%                                    |  |  |  |
| UPPER CLARK FORK RIVER BASIN              | 89%                                    |  |  |  |
| BITTERROOT RIVER BASIN                    | 86%                                    |  |  |  |
| LOWER CLARK FORK RIVER BASIN              | 59%                                    |  |  |  |
| JEFFERSON RIVER BASIN                     | 73%                                    |  |  |  |
| MADISON RIVER BASIN                       | 67%                                    |  |  |  |
| GALLATIN RIVER BASIN                      | 86%                                    |  |  |  |
| MISSOURI HEADWATERS                       | 74%                                    |  |  |  |
| HEADWATERS MISSOURI MAINSTEM              | 78%                                    |  |  |  |
| SMITH, JUDITH, AND MUSSELSHELL RIVER BASI | NS 81%                                 |  |  |  |
| SUN, TETON AND MARIAS RIVER BASINS        | 67%                                    |  |  |  |
| MISSOURI MAINSTEM RIVER BASIN             | 74%                                    |  |  |  |
| ST MARY AND MILK RIVER BASINS             | 66%                                    |  |  |  |
| UPPER YELLOWSTONE RIVER BASIN             | 83%                                    |  |  |  |
| WIND RIVER BASIN (WYOMING)                | 69%                                    |  |  |  |
| SHOSHONE RIVER BASIN (WYOMING)            | 73%                                    |  |  |  |
| BIGHORN RIVER BASIN (WYOMING)             | 76%                                    |  |  |  |
| TONGUE RIVER BASIN (WYOMING)              | 77%                                    |  |  |  |
| POWDER RIVER BASIN (WYOMING)              | 78%                                    |  |  |  |
| LOWER YELLOWSTONE RIVER BASIN             | 74%                                    |  |  |  |

## Montana DNRC State Water Projects Bureau Reservoirs






- •91% Capacity
- •146% average
- •10,330 Acre-Feet





#### Montana DNRC State Water Projects Bureau Reservoirs






- •83% Capacity
  - •212% average
  - •19,337 Acre-Feet
  - •Inflows~65 cfs
  - •Outflows=0 cfs





## Montana DNRC State Water Projects Bureau Reservoirs







- •93% Capacity
- •143% average
- •70,577 Acre-Feet
- •Elev.=3918.3
- •Inflow~115 cfs






## Montana DNRC State Water Projects Bureau Reservoirs









- •62% Capacity
- •102% Average
- •Outflows~11 cfs
- •6,295 Acre-Feet
- •Elev.=6702.4











- •100% Capacity
- •120% average
- •37,612 Acre-Feet
- •Elev.=5393.0
- •Inflows=129 cfs
- •Outflows=114 cfs












- •79% Capacity
- •107% average
- •22,280 Acre-Feet
- •Elev.=4243.8
- •Inflows= 68 cfs
- •Outflows=15.2 cfs













- •75% Capacity
- •119% Average
- •59,548 Acre-Feet
- •Elev.=3422.6
- •Inflows=243 cfs
- •Outflows=95 cfs









TIME OF LAST READING 4/15/2015 5:00:00 AM REFERENCE INFORMATION FT (MSL)

RESERVOIR ELEVATION 6,042.7 FT DAM CREST 6065.6

RESERVOIR VOLUME 11,382 AF PRINCIPAL SPILLWAY CREST 6055.5

LOWEST USABLE ELEVATION 5989.7

- •71% Capacity
- •119% average
- •11,382 Acre-Feet
- •Elev.=6042.7

\*\*\* PROVISIONAL DATA SUBJECT TO REVISION \*\*\*






19,850

16,040







- •77% Capacity
- •269 % average
- •24,769 Acre-Feet
- •Elev.=4712.69
- •Inflows~305 cfs
- •Outflows=308 cfs





## Summary


- Maximum Winter Carryover was maintained across majority of State Water Projects
- Snowpack below to well below average
- State Water Projects Reservoirs are above to well above average for beginning of April and ahead of last year
- Warm winter temperatures provided early storage
- Dry conditions in conjunction with low snowpack may limit runoff storage potential
- Water Users are anticipating shortages due to snowpack conditions at select reservoirs

### Montana Drought and Water Supply


Status change from October 2014 to April 2015 – Assessed 4/9/2015 (All changes one category unless otherwise noted)


|                   | Drier         |               | Wetter  | No Change       |
|-------------------|---------------|---------------|---------|-----------------|
| Silver Bow        | Rosebud (3)   | Garfield (2)  | Ravalli | Lincoln         |
| Beaverhead        | Custer (2)    | Phillips      |         | Flathead        |
| Madison (2)       | Powder River  | Petroleum (2) |         | Sanders         |
| Gallatin          | Carter        | Blaine        |         | Lake            |
| Park (2)          | Fallon (2)    | Fergus (2)    |         | Mineral         |
| Wheatland (2)     | Prairie (3)   | Hill          |         | Missoula        |
| Sweet Grass (2)   | Wibaux (2)    | Liberty       |         | Granite         |
| Golden Valley (3) | Dawson (2)    | Chouteau      |         | Powell          |
| Stillwater (2)    | McCone (2)    | Cascade       |         | Deer Lodge      |
| Carbon (2)        | Richland (2)  | Teton         |         | Jefferson       |
| Musselshell (3)   | Roosevelt (2) | Pondera       |         | Broadwater      |
| Yellowstone (2)   | Sheridan (2)  | Toole         |         | Lewis and Clark |
| Big Horn (3)      | Daniels       | Glacier       |         | Meagher         |
| Treasure (3)      | Valley        |               |         | Judith Basin    |





## Montana Drought Status October 2014 VS. April 2015







# Montana Drought & Water Supply Advisory Committee

April 16, 2015 National Weather Service Gina Loss – Service Hydrologist



## Percent of Normal Precipitation

October 2014 10 Temperature Departure, deg F October 2014 Percent of Normal Precipitation 5 Period of Normal: 1981-2010 NOTE: Data used to generate this image are http://www.wrh.n PROVISIONAL AND SUBJECT TO CHANGE -5 -10




## Percent of Normal Precipitation

November 2014 Temperature Departure, deg F 5 Period of Normal: 1981-2010 NOTE: Data used to generate this image are http://www.wrh.nc PROVISIONAL AND SUBJECT TO CHANGE.




## Percent of Normal Precipitation






Percent of Normal Precipitation

January 2015






Percent of Normal Precipitation February 2015






## Percent of Normal Precipitation March 2015






## Percent of Normal Precipitation Water Year 2015





- October March
- Southern half mostly below to well below normal
- Northern half above to well above normal






Temperatures
Near to 4 °F above normal
Isolated areas 4-6 °F above normal









## Percent of Normal Precipitation Calendar Year




- January March
- Below to well below normal southwest
- Above to well above normal north-central and northeast
- Mixed conditions west and southcentral






#### Calendar Year Rankings 24<sup>th</sup> driest 2<sup>nd</sup> warmest

Temperatures
Mostly 2 to 6 °F above normal
Isolated areas 6 to 8 °F above normal





## Temperature Anomalies April 1-14



#### Highs


- Mostly near normal
- Isolated areas 2-8 °Fcolder than normal west
- Isolated areas 2-8 °F warmer than normal east

#### • Lows

- Mostly near normal
- Areas 3-6 °F below normal north-central, west, southwest, southcentral




## Percent of Average Precipitation April 1-14




- Below to well below normal west, southwest, central, southeast
- Above to well above normal north-central to northeast




## NOHRSC Modeled Snow Water Equivalent April 15, 2014






## Soil Moisture – Upper 1 Meter






#### Great Falls Soil Moisture






NOAA - National Weather Service – Building a Weather Ready Nation

## National Drought Monitor Issued April 16




- 'Abnormally Dry' southwest into south-central Montana
- Introduction of D1
   'Moderate Drought'
   into southwest
   Montana





## Statewide Average Precipitation


April starts upswing in spring precipitation







## 7-Day Precipitation Forecast

Thursday-Saturday










## 8 to 14 Day Outlook 500mb Heights and Anomalies




- April 23 29
- Split in flow coming into Pacific Northwest and Montana




## 8 to 14 Day Outlook April 23 - 29

#### Temperature



- 33% to 40% chance temperatures will be above normal west
- 33% to 40% chance temperatures will be below normal east
- Equal chances for above, below or near normal central

#### Precipitation




- Equal chances precipitation will be above, below, or near normal all but extreme northeast Montana
- 33-40% chance precipitation will be below normal extreme northeast



### El Niño / La Niña

El Niño Advisory - Likely El Niño will continue through summer and autumn






NOAA - National Weather Service – Building a Weather Ready Nation


## May Outlook Updated April 16

#### Temperature



• 33% to 50% chance temperatures will be above normal over west, central, and northeast Montana

#### Precipitation




• Equal chances precipitation will be above, below, or near normal across Montana




### June – August Outlook Updated April 16

Temperature



- 33% to 50% chance temperatures will be above normal over all but extreme eastern Montana
- Equal chances for above, below, or near normal extreme east


Precipitation



- 33% to 40% chance precipitation will be above normal across southern Montana
- Equal chances for above, below, or near normal central and north




## Drought Outlook through July Issued April 16



- Drought area expanded into southwest Montana
- May be removed with next issuance depending on how upcoming storms play out



### Probability of Flooding April - June







### In Summary...

- First half of water year October to December brought above normal temperatures with near normal precipitation to much of Montana
- Second half of water year January to March has been drier and warmer than normal
- With warm temperatures, some storms brought rain during winter even at higher elevations
- Chances for flooding from snowmelt are low
  - Game changing event could still result in flooding
- Drought/Water Supply mostly status quo through the winter, but continued warm temperatures, lack of precipitation, and wind are causing some drying especially across southern portions of the state

### weather.gov

weather.gov/billings weather.gov/glasgow weather.gov/missoula weather.gov/greatfalls



# Governor's Drought & Water Supply Advisory Committee

USDA NASS Mountain Region Montana Field Office Eric Sommer State Statistician


|        | 2015       | 2014           |          |
|--------|------------|----------------|----------|
|        | Intentions | <b>Planted</b> |          |
| Food   | Thou.      | Thou.          |          |
| Grains | Acres      | Acres          | % Change |
| AII    |            |                |          |
| Wheat  | 5,780      | 5,985          | -3.4 %   |
| Winter |            |                |          |
| Wheat  | 2,400      | 2,500          | - 4.0 %  |
|        |            |                |          |
| Durum  | 580        | 435            | + 33.3 % |
| Spring |            |                |          |
| Wheat  | 2,800      | 3,050          | - 8.2 %  |







(000) Acres and Change From Previous Year










(000) Acres and Change From Previous Year











(000) Acres and Change From Previous Year







#### All Wheat Stocks



|        | 2015       | 2014           |          |
|--------|------------|----------------|----------|
|        | Intentions | <b>Planted</b> |          |
| Feed   | Thou.      | Thou.          |          |
| Grains | Acres      | Acres          | % Change |
|        |            |                |          |
| Corn   | 110        | 130            | -15.4    |
|        |            |                |          |
| Oats   | 50         | 45             | + 11.1   |
|        |            |                |          |
| Barley | 920        | 920            | NC       |

|                | 2015        | 2014        |          |
|----------------|-------------|-------------|----------|
|                | Intentions  | Planted     |          |
| Other Crops    | Thou. Acres | Thou. Acres | % Change |
|                |             |             |          |
| All Hay (Harv) | 2,800       | 2,730       | + 2.6 %  |
|                |             |             |          |
| All Dry Peas   | 570         | 525         | + 8.6 %  |
| Austrian       |             |             |          |
| Winter Peas    | 8           | 12          | - 33.3 % |
|                |             |             |          |
| Lentils        | 180         | 130         | + 38.5 % |

|               | 2015        | 2014        |          |
|---------------|-------------|-------------|----------|
|               | Intentions  | Planted     |          |
| Other Crops   | Thou. Acres | Thou. Acres | % Change |
|               |             |             |          |
| Sugar beets   | 42.6        | 45.0        | - 5.3 %  |
|               |             |             |          |
| All Dry Beans | 53          | 37.5        | + 41.3 % |
|               |             |             |          |
| Flaxseed      | 18          | 28          | - 35.7 % |
|               |             |             |          |
| Canola        | 60          | 63          | - 4.8 %  |

## **Crop Weather Report Week Ending April 12, 2015**

- Topsoil and Subsoil conditions were lower than a year ago but comparable to the five year average.
- Seeding were ahead last year and the five year averages, due to dry weather conditions.

## **Topsoil Moisture Week Ending April 12, 2015**

|            | This | Last | Last | 5-yr         |
|------------|------|------|------|--------------|
|            | week | week | year | 5-yr<br>avg. |
|            |      |      |      |              |
| Very short | 7    | 8    | 2    | 8            |
| Short      | 22   | 21   | 9    | 17           |
| Adequate   | 61   | 58   | 72   | 61           |
| Surplus    | 10   | 13   | 17   | 14           |

### Subsoil Moisture Week Ending April 12, 2015

|            | This week | Last<br>week | Last<br>year | 5-yr<br>avg. |
|------------|-----------|--------------|--------------|--------------|
| Very short | 6         | 6            | 3            | 9            |
| Short      | 21        | 21           | 10           | 20           |
| Adequate   | 53        | 53           | 76           | 63           |
| Surplus    | 20        | 20           | 11           | 8            |

## Winter Wheat Condition Week Ending April 12, 2015

|           | Very | Poor | Fair | Good | Excellent |
|-----------|------|------|------|------|-----------|
|           | poor |      |      |      |           |
| This week | 2    | 6    | 30   | 33   | 29        |
| Last week | 2    | 6    | 31   | 33   | 28        |
| Last year | 1    | 4    | 30   | 56   | 9         |
| 5-yr avg. | 1    | 6    | 35   | 51   | 7         |

### Seeding Completed Week Ending April 12, 2015

|              | This | Last | Last | 5-yr |
|--------------|------|------|------|------|
|              | week | week | year | avg. |
| Spring Wheat | 10   | 1    | 3    | 7    |
| Barley       | 20   | 4    | 3    | 15   |
| Oats         | 5    | NA   | NA   | 6    |

## **Livestock Grazing Week Ending April 12, 2015**

- 76 percent of grazing land was open, above last year's 44 percent and the five-year average of 59 percent
- 85 percent of cattle & calves and 80 percent of sheep & lambs were receiving supplemental feed

## Range & Pasture Feed Condition Week Ending April 12, 2015

|           | Very | Poor | Fair | Good | Excellent |
|-----------|------|------|------|------|-----------|
|           | poor |      |      |      |           |
| This week | 4    | 16   | 46   | 31   | 3         |
| Last week | 5    | 20   | 44   | 30   | 1         |
| Last year | 3    | 24   | 43   | 28   | 2         |
| 5-yr avg. | 7    | 22   | 42   | 27   | 2         |

## Calving & Lambing Completed Week Ending April 12, 2015

- 61 percent of cows have calved, ahead of last year's 54 percent and behind the five-year average of 65 percent
- 49 percent of ewes have lambed, compared to 38 percent last year and 50 percent for the five-year average

### Summary Week ending April 12, 2015

- Soil moisture conditions continue to be near average
- 5.0 days were suitable for field work during the week, compared to 2.9 days last year and 3.4 days for the five-year average
- Early spring planting of most crops was ahead of last year

### May 1 Releases

- May Crop Production
  - Winter wheat yield and hay stocks May 1 forecast will be released on May 12
- May Agricultural Prices
  - Released May 28

### USDA, NASS, Montana Field Office

Eric Sommer, State Statistician

1-800-835-2612 or 406-441-1240

Email: nass-mt@nass.usda.gov

www.nass.usda.gov/mt/

http://www.nass.usda.gov/Statistics\_by\_State/Montana Publications/Crop\_Progress\_&\_Condition/index.asp






http://www.nrcs.usda.gov/wps/portal/nrcs/main/mt/snow/




### Temperature


















### Precipitation




























# Snowpack
















Based on Provisional SNOTEL Data as of Apr 15, 2015







































--23%

68

# April 1, 2015 Snowpack Summary


Using both SNOTEL and Snow Course observations

| April 1st, 2015 Snow Water Equivalent |                        |                   |  |  |  |  |
|---------------------------------------|------------------------|-------------------|--|--|--|--|
| River Basin                           | April 1 % of<br>Median | Monthly<br>Change |  |  |  |  |
| Columbia                              | 67                     | -19%              |  |  |  |  |
| Kootenai                              | 49                     | -11%              |  |  |  |  |
| Flathead                              | 72                     | -16%              |  |  |  |  |
| Upper Clark Fork                      | 77                     | -29%              |  |  |  |  |
| Bitterroot                            | 78                     | -20%              |  |  |  |  |
| Lower Clark Fork                      | 49                     | -16%              |  |  |  |  |
| Missouri                              | 67                     | -27%              |  |  |  |  |
| Missouri Headwaters                   | 70                     | -25%              |  |  |  |  |
| Jefferson                             | 74                     | -26%              |  |  |  |  |
| Madison                               | 62                     | -18%              |  |  |  |  |
| Gallatin                              | 77                     | -20%              |  |  |  |  |
| Missouri Mainstem                     | 67                     | -32%              |  |  |  |  |
| Headwaters Mainstem                   | 77                     | -35%              |  |  |  |  |
| Smith-Judith Musselshell              | 81                     | -28%              |  |  |  |  |
| Sun-Teton-Marias                      | 53                     | -34%              |  |  |  |  |
| Milk                                  | 0                      | -48%              |  |  |  |  |
| St. Mary                              | 53                     | -24%              |  |  |  |  |
| St. Mary & Milk                       | 45                     | -20%              |  |  |  |  |
| Yellowstone                           | 81                     | -26%              |  |  |  |  |
| Upper Yellowstone                     | 81                     | -25%              |  |  |  |  |
| Lower Yellowstone                     | 80                     | -27%              |  |  |  |  |
|                                       |                        |                   |  |  |  |  |
| East of Divide                        | 72                     | -26%              |  |  |  |  |
| West of Divide                        | 67                     | -19%              |  |  |  |  |


**Statewide** 



# April 1st, 2015 Record Low SWE









| <b>April-July Streamflow Forecast Period</b> |                             |                                       |  |  |  |  |
|--|-----------------------------|---------------------------------------|--|--|--|--|
| River Basin                                  | Forecast as<br>% of Average | Forecast as %<br>Last Year's<br>Flows |  |  |  |  |
| Columbia                                     | 89                          | 67                                    |  |  |  |  |
| Kootenai                                     | 92                          | 79                                    |  |  |  |  |
| Flathead                                     | 94                          | 68                                    |  |  |  |  |
| Upper Clark Fork                             | 78                          | 56                                    |  |  |  |  |
| Bitterroot                                   | 79                          | 47                                    |  |  |  |  |
| Lower Clark Fork                             | 86                          | 55                                    |  |  |  |  |
| Missouri                                     | 57                          | 47                                    |  |  |  |  |
| Missouri Headwaters                          | 60                          | 54                                    |  |  |  |  |
| Jefferson                                    | 55                          | 48                                    |  |  |  |  |
| Madison                                      | 61                          | 63                                    |  |  |  |  |
| Gallatin                                     | 74                          | 65                                    |  |  |  |  |
| Missouri Mainstem                            | 56                          | 45                                    |  |  |  |  |
| Headwaters Mainstem                          | 56                          | 46                                    |  |  |  |  |
| Smith-Judith Musselshell                     | 64                          | 42                                    |  |  |  |  |
| Sun-Teton-Marias                             | 59                          | 43                                    |  |  |  |  |
| St. Mary                                     | 76                          | 54                                    |  |  |  |  |
| Yellowstone                                  | 80                          | 52                                    |  |  |  |  |
| Upper Yellowstone                            | 86                          | 59                                    |  |  |  |  |
| Lower Yellowstone                            | 76                          | 48                                    |  |  |  |  |
| Statewide                                    | 79                          | 58                                    |  |  |  |  |



# Summary

- For the third straight month we have seen declines in snowpack percentage of normal, due to:
  - Low to Mid elevation melt from well above average temperatures
  - Lack of significant snowfall and well below average March
- Streamflow prospects have dropped due to the drops in snowpack percentages and below normal precipitation
  - Streamflow prospects are below average in most basins across the state
  - Some forecasts are near record lows for certain gauges in SW
     Montana, and some water users should be aware



The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees and applicants for employment on the bases of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases apply to all programs and/or employment activities.)

If you wish to file an employment complaint, you must contact your agency's <u>EEO Counselor</u> within 45 days of the date of the alleged discriminatory act, event, or in the case of a personnel action. Additional information can be found online at <a href="http://www.ascr.usda.gov/complaint\_filing\_file.html">http://www.ascr.usda.gov/complaint\_filing\_file.html</a>.

If you wish to file a Civil Rights program complaint of discrimination, complete the <u>USDA Program Discrimination Complaint Form</u>, found online at <a href="http://www.ascr.usda.gov/complaint\_filing\_cust.html">http://www.ascr.usda.gov/complaint\_filing\_cust.html</a>, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9419, by fax at (202) 690-7442, or email at program.intake@usda.gov.

Individuals who are deaf, hard of hearing or have speech disabilities and you wish to file either an EEO or program complaint please contact USDA through the Federal Relay Service at (800) 877-8339 or (800) 845-6136 (in Spanish). Persons with disabilities, who wish to file a program complaint, please see information above on how to contact us by mail or by email. If you require alternative means of communication for program information (e.g., Braille, large print, audiotape, etc.), please contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).






http://www.nrcs.usda.gov/wps/portal/nrcs/main/mt/snow/


# USGS Streamflows, April 2015



# DAILY STREAMFLOW CONDITIONS




USGS 06036650 Jefferson River near Three Forks MT (Drainage Area: 9532 square miles, Length of Record: 35 years)






USGS 06037500 Madison River near West Yellowstone MT (Drainage Area: 420 square miles, Length of Record: 100 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above                  |      |  |

USGS 06043500 Gallatin River near Gallatin Gateway MT (Drainage Area: 825 square miles, Length of Record: 124 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06054500 Missouri River at Toston MT (Drainage Area: 14669 square miles, Length of Record: 123 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06099500 Marias River near Shelby MT (Drainage Area: 3242 square miles, Length of Record: 111 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06120500 Musselshell River at Harlowton MT (Drainage Area: 1125 square miles, Length of Record: 106 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06191500 Yellowstone River at Corwin Springs MT (Drainage Area: 2619 square miles, Length of Record: 124 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06200000 Boulder River at Big Timber MT (Drainage Area: 523 square miles, Length of Record: 66 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 06214500 Yellowstone River at Billings MT (Drainage Area: 11805 square miles, Length of Record: 85 years)




| Explanation - Percentile classes |                 |        |       |                             |      |  |
|----------------------------------|-----------------|--------|-------|-----------------------------|------|--|
|                                  |                 |        |       |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90 | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above | Much above<br>normal        |      |  |

USGS 06306300 Tongue River at State Line nr Decker MT (Drainage Area: 1453 square miles, Length of Record: 53 years)




| E                          | Explana         | tion - Pe | rcentile | classes                     |      |
|----------------------------|-----------------|-----------|----------|-----------------------------|------|
|                            |                 |           |          |                             |      |
| lowest-<br>10th percentile | 10-24           | 25-75     | 76-90    | 90th percentile<br>-highest | Flow |
| Much below                 | Below<br>normal | Normal    | Above    | Much above                  |      |

USGS 06329500 Yellowstone River near Sidney MT (Drainage Area: 69083 square miles, Length of Record: 47 years)




| Explanation - Percentile classes |                 |        |       |                             |      |  |
|----------------------------------|-----------------|--------|-------|-----------------------------|------|--|
|                                  |                 |        |       |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90 | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above | Much above<br>normal        |      |  |

USGS 12302055 Fisher River near Libby MT (Drainage Area: 838 square miles, Length of Record: 46 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|--|
|                                  |                 |        |                 |                             |      |  |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |  |

USGS 12340000 Blackfoot River near Bonner MT (Drainage Area: 2290 square miles, Length of Record: 115 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|--|
|                                  |                 |        |                 |                             |      |  |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |  |

USGS 12340500 Clark Fork above Missoula MT (Drainage Area: 5999 square miles, Length of Record: 84 years)




| E                          | Explana         | tion - Pe | rcentile        | classes                     |      |  |
|----------------------------|-----------------|-----------|-----------------|-----------------------------|------|--|
|                            |                 |           |                 |                             |      |  |
| lowest-<br>10th percentile | 10-24           | 25-75     | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal       | Below<br>normal | Normal    | Above<br>normal | Much above<br>normal        |      |  |

USGS 12344000 Bitterroot River near Darby MT (Drainage Area: 1049 square miles, Length of Record: 76 years)






USGS 12354500 Clark Fork at St. Regis MT (Drainage Area: 10709 square miles, Length of Record: 84 years)




| Explanation - Percentile classes |                 |        |                 |                             |      |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|
|                                  |                 |        |                 |                             |      |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |

USGS 12358500 M F Flathead River near West Glacier MT (Drainage Area: 1128 square miles, Length of Record: 74 years)



| Explanation - Percentile classes |                 |        |       |                             |      |  |
|----------------------------------|-----------------|--------|-------|-----------------------------|------|--|
|                                  |                 |        |       |                             | _    |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90 | 90th percentile<br>-highest | Flow |  |
| Much below<br>normal             | Below<br>normal | Normal | Above | Much above                  |      |  |

USGS 12389000 Clark Fork near Plains MT (Drainage Area: 19958 square miles, Length of Record: 103 years)



| Explanation - Percentile classes |                 |        |                 |                             |      |  |  |
|----------------------------------|-----------------|--------|-----------------|-----------------------------|------|--|--|
|                                  |                 |        |                 |                             |      |  |  |
| lowest-<br>10th percentile       | 10-24           | 25-75  | 76-90           | 90th percentile<br>-highest | Flow |  |  |
| Much below<br>normal             | Below<br>normal | Normal | Above<br>normal | Much above<br>normal        |      |  |  |

